

# User Preferences



The features described on this page related to notification publishers other than Email and XMPP are available from version 1.9

In addition to the current user's account details, the User Preferences page contains the current user's notification preferences. This includes details of the account for each publisher to send notifications to and whether to enable notifications for each publisher type.

## Preferences

User Preferences

Preferences

Subscriptions

Private Messages

My Changes

Repository User Mapping

User Preferences

First name

Montgomery

Last name

Scott

Email

scotty@theenterprise.com

☐ Receive email in HTML format

▶ XMPP

▶ HipChat

▶ Slack

▶ Stride

Save

### First Name and Last Name

These will be displayed anywhere that your user is shown throughout Continua CI

### Email

Emails for all email publishers will be sent to this address. Note that you can only have one email address.

### Receive email in HTML format

Tick this to instruct email each publisher to use the HTML templates when send email notifications

## XMPP

▼ XMPP

☒ Enabled

Tick to enable reception of XMPP messages

**XMPP Id**

scotty@openfireserver

The user and server that the XMPP publisher will send your messages to.

▶ HipChat

▶ Slack

▶ Stride

### Enabled

Tick to enable reception of XMPP messages from all publishers

### XMPP Id

Enter a user and server for the XMPP publisher to send messages to. Note if there are multiple XMPP publishers you can enter a different XMPP Id for each one.

## HipChat

▶ XMPP

▼ HipChat

☒ Enabled

Tick to enable reception of HipChat messages

**Username**

ScottMontgomery

The user name (or user id) that the HipChat publisher will send your messages to.

**Message Format**

Html ▼

▶ Slack

▶ Stride

## Enabled

Tick to enabled reception of HipChat messages from all publishers

## Username

Enter a HipChat username or user id for the HipChat publisher to send messages to. Note if there are multiple HipChat publishers, you can enter a different Username for each one.

## Message Format

Select a message template format for the HipChat publisher to use when generating notification message content. If there are multiple HipChat publishers, the same format will apply to all.

## Slack

▶ XMPP

▶ HipChat

▼ Slack

☒ Enabled

Tick to enable reception of Slack messages

**Channel**

U11AAAAAA

The channel that the Slack publisher will send your messages to. We recommend that you use a personal direct message channel by entering your member id here.

▶ Stride

## Enabled

Tick to enabled reception of Slack messages from all publishers

## Channel

Enter a Slack channel for the Slack publisher to send messages to. We recommend that you use a personal direct message channel by entering your member id here. Note if there are multiple Slack publishers, you can enter a different Channel for each one.

## Message Format

Select a message template format for the Slack publisher to use when generating notification message content. If there are multiple Slack publishers, the same format will apply to all.

## Stride

▸ XMPP

▸ HipChat

▸ Slack

▼ Stride

☒ Enabled

Tick to enable reception of Stride messages

Username

The user name (or user id) that the Stride publisher will send your messages to.

Message Format

### Enabled

Tick to enabled reception of Stride messages from all publishers

### Username

Enter a Stride username or user id for the Stride publisher to send messages to. Note if there are multiple Stride publishers, you can enter a different Username for each one.

### Message Format

Select a message template format for the Stride publisher to use when generating notification message content. If there are multiple Stride publishers, the same format will apply to all.