

Vault

Vault

New Repository

Repository

Vault

Credentials

Filtering

Downtime

Required Field

Host

http://vault.example.com

The URL of the Vault server.

☐ Enable SSL

Repository Name

Main

The name of the Vault repository.

Path

\$/foo/bar

Path within the repository. Always starts with '\$'. example: \$/foo/bar

☐ Write changeset details to file

?

Tick to write changeset details to the file "_CI_ChangesetDetails.xml" after checking out each changeset.

Using

Vault.Default

Use the executable found by this property collector.

Validate

Save

Cancel

Help

Host

The URL of the Vault server.

Enable SSL

Tick to enable SSL.

Repository Name

The name of the Repository on the Vault server.

Path

The path of the directory within the repository you would like monitored.

Write changeset details to file

Tick to write changeset details to the file "_CI_ChangesetDetails.xml" after checking out each changeset.

Using

The Using drop down is populated with any property collector whose namespace matches the pattern defined by the Vault plugin. The pattern for this action is `^vault\.*`.

If you create a property collector for this action, make sure you select the **Path Finder Plugin** type and give it a name that will match the pattern above in blue. Example names listed [here](#), search the table's Plugin column for "Vault".

For more in-depth explanations on property collectors see [Property Collectors](#).

Alternatively, you can select the **Custom** option from the Using drop down list and specify a path in the resulting input field that will be displayed. Please read [Why it's a good idea to use a property collector](#) before using this option.

Credentials

New Repository

Repository	Vault	Credentials	Filtering	Downtime
------------	-------	-------------	-----------	----------

Required Field

Username

The username to connect to the Vault server.

Password

The password to connect to the Vault server.

Validate

Save

Cancel

Help

Username

The username required to log into the Vault server.

Password

The password required to log into the Vault server.