


User Subscriptions

The notifications page is where users can view notifications they're subscribed to and also subscribe to new notifications. The page is split into two sections, Subscriptions via Groups and My Subscriptions.

Notifications



The screenshot shows a web interface for managing notifications. It features a breadcrumb trail 'Home / Notifications' and a main header 'Notifications'. On the left is a sidebar with navigation options: 'User Preferences', 'Preferences', 'Notifications' (selected), 'Private Messages', 'My Changes', and 'Repository User Mapping'. The main content area is divided into two sections:

- Subscriptions via Groups:** A table with columns: Name, Notification Type, Source, Publisher Type, Group, and Enabled. It lists two entries: 'EventLogErrors' (New Event Log Message, All System Events, Private Message, Ldap Administrators, enabled) and 'EveryAdmin' (Build Broken, Build Error, Build Failed, Continua: Release, Xmpp, Ldap Administrators, disabled).
- My Subscriptions [Create]:** A table with columns: Name, Notification Types, Source, Publisher Type, Enabled, and actions. It lists two entries: 'Build Notification For All Projects' (Build Broken, Build Error, Build Started, All Projects, Xmpp, enabled, with [Edit] and [Delete] links) and 'test' (User Updated, All System Events, Private Message, enabled, with [Edit] and [Delete] links).

Group subscriptions are listed at the top of the page and are set by the administrator via the [Subscriptions](#) page. You can't delete group subscription but you can override them. Your subscriptions are listed under the "My Subscriptions" section.

Overriding Group Subscriptions

To override a group subscription, you need to create a user subscription with the same **Source** and **Publisher Type** as the group subscription. If there's a user and group subscription with the same source and publisher type, the group subscription is ignored and only the notification types selected (or not selected) in the user subscription will be taken into account.

Creating and Editing User Subscriptions

A user subscription can be created or edited using the 'Create' and 'Edit' buttons on this page. 'Delete' buttons are also provided.

New Subscription Required Field

Name

Enabled

Publisher

Source

Notification Types

- Project Updated
- Configuration Updated
- Build Broken
- Build Discarded
- Build Error
- Build Failed
- Build Fixed
- Build Initialising
- Build Queued
- Build Started
- Build Stopped
- Build Success

Name

A unique name to identify this subscription.

Enabled

Toggle this to switch subscriptions on and off.

Publisher

Choose a publisher to carry the messages from the list of configured [Publishers](#).

Source

The entity, e.g. System Events, Project(s), Configuration(s), that the notification is about.

Notification Types

The types of events that you want to send notifications for. The notification types available depend on the type of the Source that you select. You may select multiple types.