


Extract Archive Action

The Extract Archive actions allows you to extract the files from an archive in any of the following formats:


Zip, 7z, GZip, BZip2, TAR, RAR, ARJ, CAB, CPIO, RPM, DEB, SPLIT

[More Info on the 7Zip based actions](#)



On this page:

Settings



Files & Directories

Archive Name

Specify the name of the new archive. The file extension should match the type of archive you are creating (eg. ZIP)

Root Directory

You can optionally set this to a directory so that the included files can be relative to this directory

Working Directory

Any temporary files will be placed in this directory

Options

Recurse

Specify how it should deal with sub-folders

Password

Specify a password to protect the archive. You'll need to supply this password to decrypt the archive

Extract Options

Extract Options

Output Directory

Specify the directory where the extracted files will be written to.

Overwrite Mode

Specify how existing files with the same name will be dealt with. Possible options are **Overwrite All**, **Skip**, **Rename Extracting Files**, or **Rename Existing Files**.


Use Full Paths

Files will be extracted with their paths as they are in the archive file. E.g. If a file in the archive is in a directory called "folderA" then the files in that directory will be extracted to <output directory>\folderA\<files>.

Include Pattern

The pattern to use to in testing to see if a file should be included in the extraction. Leave blank to include all files (except for those files specified in the exclude rules).

Exclude



Exclude Files

Specify any files or filespecs to exclude from the archive.