WGet Download Action

The WGet Download action enables you to retrieve files using HTTP, HTTPS or FTP from a remote server.

The location of the WGet executable can be specified in the Tools - Options - Internet - WGet Options

WGet Options

WGet Download						
General	Runtime	WGet Options				÷
Local options						
	Output direct	tory				
	<u> </u>					
	Output filename					
🚷 в	emote optic	ons				
	URL					
						a
	Username			Password		
	Recursive	e download				
	📃 Update lii	nks				
		age requisites				
	Depth					
				OK	Cancel	Help

Local options

Output Directory

The base location that WGet will use when downloading files.

Output Filename

The Filename that the file will be saved to. If a full path is provided the Output Directory value will be ignored.

Remote options

URL

The remote file to download

Username & Password

The authentication information to send to the remote server.

Recursive Download

Use this option to traverse parts of the Web (or a single http or ftp server), following links and directory structure.

Update Links

After the download is complete, convert the links in the document to make them suitable for local viewing.

Include Page Requisites

With this option enabled, WGet will download all the files that are necessary to properly display a given html page. This includes such things as images, sounds, and referenced style sheet.

Depth

The maximum depth to which the retrieval may descend into a remote site.

Scripting Info

The Action properties available are :

- property URL: String;
- property OutputDirectory: String;
- property OutputFilename: String;
- property Username: String;
- property Password: String;
- property Recursive: Boolean;
- property RecursiveDepth: String;
- property UpdateLinks: Boolean;
- property IncludePageRequisites: Boolean;