

Create Virtual Directory Action - [IIS 7]

The Create Virtual Directory (IIS 7) action enables you to create a new virtual directory on an existing website.

Server

The screenshot shows the 'Create Virtual Directory (IIS 7)' dialog box with the 'Server' tab selected. The dialog has a title bar with a close button (X) and a tab bar with 'General', 'Runtime', 'Server', 'Website Options', and 'Virtual Directory Options'. The 'Server' tab contains two sections: 'IIS server (IIS 7)' and 'Credentials (IIS 7)'. The 'IIS server' section has two radio buttons: 'Use the hostname specified in the global IIS options.' (selected) and 'Provide the hostname of the IIS server.'. Below the second radio button is a 'Hostname:' label and a text input field. A note below the field says 'Leave blank to connect to the local machine.' The 'Credentials' section has two radio buttons: 'Use the credentials specified in the global IIS options.' (selected) and 'Provide the credentials to the IIS server.'. Below the second radio button is a 'Username:' label and a text input field. A note below the field says 'Leave blank to use the credentials of the logged in user.' Below the 'Username' field is a 'Password:' label and a text input field. At the bottom right are 'OK', 'Cancel', and 'Help' buttons.

Create Virtual Directory (IIS 7)

General Runtime **Server** Website Options Virtual Directory Options

IIS server (IIS 7)

☒ Use the hostname specified in the global IIS options.
☐ Provide the hostname of the IIS server.

Hostname:

Leave blank to connect to the local machine.

Credentials (IIS 7)

☒ Use the credentials specified in the global IIS options.
☐ Provide the credentials to the IIS server.

Username:

Leave blank to use the credentials of the logged in user.

Password:

OK Cancel Help

IIS server

Use the hostname specified in the global IIS options

Provide the hostname of the IIS server

Credentials

Use the credentials specified in the global IIS options

Provide the credentials to the IIS server

Username

Password

Website Options

Create Virtual Directory (IIS 7) ✕

General Runtime Server **Website Options** Virtual Directory Options ⌵

 **Website** _____

☐ Website index

☒ Website name
Wiki _____

OK Cancel Help

Website

Website index

Website name

Virtual Directory Options

The screenshot shows the 'Create Virtual Directory (IIS 7)' dialog box with the 'Virtual Directory Options' tab selected. The dialog has a title bar with a close button (X) and a tab bar with 'General', 'Runtime', 'Server', 'Website Options', and 'Virtual Directory Options'. The 'Virtual directory' section contains three text boxes: 'Path' with '/Wiki/Images', 'Application path' with '/Wiki', and 'Physical path' with 'C:\LocalData\Wiki\Images'. There is a folder icon button to the right of the 'Physical path' box. Below these is a checkbox labeled 'Allow sub-directory configuration files' which is currently unchecked. At the bottom are 'OK', 'Cancel', and 'Help' buttons.

Field	Value
Path	/Wiki/Images
Application path	/Wiki
Physical path	C:\LocalData\Wiki\Images
Allow sub-directory configuration files	☐

Virtual directory

Path

The path of the virtual directory.

Application Path

The path of the application that the virtual directory will be created in. If the virtual directory is to be created in the root application then use '/'.

Physical Path

The physical path to the file directory where the content for the virtual directory is stored.

Allow Sub-Directory Configuration Files

Determines whether IIS will look for web.config in content directories lower then the current level.