

PropertySet Assign Properties Action

The PropertySet assign properties action allows each property of the Property Set to be assigned to either a particular value or to the value of a FinalBuilder variable.

Property	Set value to
<input type="checkbox"/> AutoUpdateFileVersionString	
<input type="checkbox"/> AutoUpdateProductVersionString	
<input type="checkbox"/> BuildVersion	
<input checked="" type="checkbox"/> CompanyName	Our Company
<input type="checkbox"/> CompileDate	
<input type="checkbox"/> FileDescription	
<input type="checkbox"/> FileFlagDebug	
<input type="checkbox"/> FileFlagPreRelease	
<input type="checkbox"/> FileFlagPrivate	
<input type="checkbox"/> FileFlagSpecial	
<input type="checkbox"/> FileSubType	
<input type="checkbox"/> FileTypeDLL	
<input type="checkbox"/> FileTypeDRV	
<input type="checkbox"/> FileTypeVXD	
<input type="checkbox"/> FileVersionString	
<input type="checkbox"/> IncludeCompileDate	

The checkbox denotes which properties will be assigned to new values when the action executes. Enter the new value to set the properties to in the "Set value to" column. The expression will be evaluated, therefore allowing FinalBuilder variables.

Set Property Values

PropertySet

The property set to assign properties of. Each property set defined in the project will be listed in the drop down. As the property set is selected the list of properties that can be altered will be displayed in the grid below.

Set property values

Property

The name of the property to set. The check mark to the left of this field will have a cross appear in it to signal that this property is being altered when the action is run.

Set to value

The value to set the property to. The value can be text or a variable expression. If an expression is used it will be expanded at runtime.