


Git Remove Files Action

The Git Remove Files action allows you to remove files and directories from a repository.

From the Git Repository tab select the location of the local repository that you want to remove content from.



The screenshot shows the 'Git Generic' dialog box with the 'Git Repository' tab selected. The dialog has four tabs: 'General', 'Runtime', 'Git Repository', and 'Git Command'. The 'Git Repository' tab is active, showing options for repository location. There are two radio buttons: 'Use defaults as specified in Tools->Options' (unselected) and 'Override defaults' (selected). Below this is a section for 'Override default location' with a folder icon. It contains two checkboxes: 'Local' (unselected) and 'Remote' (selected). The 'Remote' checkbox is selected, and the text field below it contains the URL 'https://github.com/VSoftTechnologies/DUnitX.git'. There is also an unchecked checkbox for 'Use remote string builder'. Below this is a group box containing five text fields: 'Connection type:', 'Host name:', 'Port number:', 'User name:', and 'Path to repository:'. At the bottom of the dialog are three buttons: 'OK', 'Cancel', and 'Help'.


Switch to the Remove Files tab to specify the files and/or directories to remove from the repository. Use the Add Files button and the Add Folders button to select the content to be removed from the repository. Place each entry on a new line. You can also use the asterisk wildcard to remove files.

For example:

To remove every file within the repository directory you can use *.*

To remove every file of a particular extension (in this example .txt) *.txt

To remove files where names contain certain text (in this example "_v2") *_v2.*



The Remove Files tab also provides a number of options that can be executed:

Force - Override the up-to-date check.

Cached - Use this option to unstage files by removing them from the index, without actually removing files from the working tree.

Ignore Unmatch - This option means that the action will pass even if no files are matched for removal. This also disables the validity checking that each file/directory is subjected to before being flagged for removal.

Quiet - Suppress output from Git.

Recursive - Allow a recursive removal by providing a directory.

For more information on removing files in git, see: