## **Shared Resource Object**

This is used as a child object of the Stared Resources object under the Build object. e.g. **\$Build.SharedResources.Server.Namespace.** 

| Name                 | Description   | Туре                     | Usage Example   |  |
|----------------------|---|--------------------------|---|--|
| FirstLab<br>el       | The first label on this shared resource acquired by the current build stage (ordered by label name).        | String                   | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.FirstLabel\$       | "Share1"   |
| Labels               | A collection of labels on this shared resource acquired by the current build stage (ordered by label name). | String<br>Collecti<br>on | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.Labels\$           | "Share1,Share2,Share3"   |
| LastLab<br>el        | The last label on this shared resource acquired by the current build stage (ordered by label name).         | String                   | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.LastLabel\$        | "Share3"   |
| ReadLoc<br>kCount    | The total number of read locks acquired on this shared resource by the current build stage.                 | Integer                  | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.ReadLockCount\$    | 3  |
| HasWrit<br>eLock     | True if the current build stage has acquired a write lock on this shared resource.                          | Boolean                  | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.HasWriteLock\$     | False  |
| LabelLo<br>ckDetails | A comma-delimited list of details of each shared resource lock acquired by the current build stage.         | String                   | \$Build.SharedResources.Server.Network.<br>AppDeploymentShares.LabelLockDetails\$ | "Share1: 1 read lock","Share2: 1<br>read lock","Share3: 1 read lock" |