Run Dos Command/Batch File Action

Run Dos Command / Batch File

Run DOS Command / Batch File Action	
Run DOS Command / Batch File Options Environment Comments	
Requ	uired Field
Name Run DOS Command / Batch File []	
Enabled	
Command or Batch File C:\bin\mybatch.bat	a
The DOS command or the full path and name of the batch file on the Agent.	
Working Directory SWorkspaceS\Output	a
The directory to execute the command in.	
⊘ Validate 🖺 Save 🗶 Cancel	Help

Name

A friendly name for this action (will be displayed in the actions workflow area).

Enabled

Determines if this action will be run within the relevant stage.

Command or Batch File

If you specify a batch file make sure to provide the full path to it. If a DOS command is used, make sure it's in the Agent's PATH environment variable otherwise you will need to specify the full path to it.

Working Directory

The directory in which the command will be executed.

Options

Run DOS Command / Batch Fi	e Action																																																																																											
Run DOS Command / Batch F	ile Options	Environment	C	Со	Con	Co	Сс	c	,														((c	С	c	С	c	С	2	2	C	0	0	1	m	וו	m	ıe	n	ts	5																																																
																																																																																					ŀ	Red	qui	ire	d F	ie	ld	
	✓ Wait for con	npletion																																																																																										
	🕑 Log output																																																																																											
	Check comm	nand exit code																																																																																										
Exit Code Must Be	equal to																																																																															_							Ŧ	1				
Exit Code	0																																																																																							1				
	Generate a	ontext XML file	2																																																																																									
Timeout (in seconds)	0																																																																																											
		it for the commar) seconds (24 hou																																			r	ł	56	at	tc	h	fi	ile	e 1	to	f	ir	1Î:	s	h	r	u	nr	٦i	nį	В	b	ef	0	re	t	tin	m	nîr	n	g	ç c	οι	ut	. Le	ea	vi	ng	; tl	nis	bla	nk	(o	rz	er) (vil									
			oursj	ursj.]-]-	·].	2)	12		11		u	u	Ű		u	uı	11		-	-	2	2	2	2	1	1	1	1	1																																																													
	Treat failure Tick to continue	as warning build on failure r	e mar	marki	rkir	rki	ark	aı	าฮ	n	n	m	m	m	n	n	n	m	n	17	ē	ī	а	3	а	81	ir	1	ir	1	ir	r	rl	rk	k	k	i	in	18	g 1	th	ne	2 3	ac	ti	0	n	v	/it	tł	h	a	N	va	ar	ni	in	g	5	ta	tu	JS	5.																													
	Ignore warn	ings																																																																																										
⊘ Validate																																																																											6	3	Sa	ve	2		>	\$ (Ca	nc	el			2)	le	lp	

Wait For Completion

If this option is selected, more options will appear that lets you control the output on completion.

Log Output

Logs the output of the executable.

Check program exit code

If this option is selected, more options appear which will allow you to handle the exit code of the executable.

Exit Code Must Be

Select the comparison operator to be used on the exit code.

Exit Code

Exit code of the executable.

Generate a context XML file

Generate an XML file in the workspace containing all the current expression objects and variables.

Timeout (in seconds)

How long to wait for the action to finish running before timing out. Leaving this blank (or zero) will default to 86400 seconds (24 hours).

Treat failure as warning

Tick to continue build on failure marking the action with a warning status.

Ignore warnings

If this is ticked, any warnings logged will not mark the action with a warning status.

Environment

Run DOS Command / Batch File	e Action			
Run DOS Command / Batch Fi	ile Options	Environment	Comments	
				Required Field
Environment Variables	variable_name	=variable_value		đ
	Specify one nan	ne & value pair pe	er line.	
		stem environmen	nt variables variables prefixed with 'ContinuaCI.' for system objects and variables.	
⊘ Validate			🖹 Save 🗶 Can	icel 🎯 Help

Environment Variables

Multiple environment variables can be defined - one per line. These are set before the command line is run.

Log environment variables

If this is ticked, environment variable values are written to the build log.

Generate system environment variables

Tick this checkbox to set up a list of new environment variables prefixed with 'ContinuaCI.' for all current system expression objects and variables.

Mask sensitive variable values in system environment variables

This checkbox is visible only if the 'Generate system environment variables' checkbox is ticked.

If this is ticked, the values of any variables marked as sensitive will be masked with **** when setting system environment variables. Clear this to expose the values.