

Part 4: Deploy Your Web App

In this tutorial we will be creating a website and then deploying our Web Application to it, via Visual Studio and then via Continuum CI. This is part 4 of our [Deploying Websites with Continuum CI](#) tutorial so make sure you have completed all previous steps in this tutorial.

This tutorial will be broken down into the following areas:

- [Installing Web Deploy for IIS 7 & 7.5](#)
- [Create an IIS Deploy Tutorial Website](#)
- [Configure our ContinuumDeployTutorial to Publish to our Website](#)
- [Publishing our Website](#)
- [Create a Deploy Stage in Continuum](#)
 - [Why Split our Build over 2 Stages?](#)
 - [Create a Deploy Stage](#)
- [Move our Deploy Actions to the Deploy Stage](#)
- [Automatically Publish and Package our Website](#)
- [Copy our Website From the Continuum Agent to the Server](#)
- [Registering our Website as an Artifact](#)
- [Integrating Continuous Integration](#)
- [Deploy our Website](#)
- [Conclusion](#)

Installing Web Deploy for IIS 7 & 7.5

Before we can deploy to our web server using MSBuild, we must first install the Web Deployment Handler. Head over to <http://www.iis.net/learn/publish/using-web-deploy/configure-the-web-deployment-handler> for an in-depth guide on how to install the Web Deployment Handler.

Create an IIS Deploy Tutorial Website

Before we are able to deploy our website to IIS, we need to create a website on our web server. For this tutorial I am creating a website called **DeployTutorialWebsite** that will be mapped to **port 100** on my web server.

Add Website

Site name: Application pool:

Content Directory

Physical path:

Pass-through authentication

Binding

Type: IP address: Port:

Host name:

Example: www.contoso.com or marketing.contoso.com


☒ Start Website immediately

Configure our ContinuaDeployTutorial to Publish to our Website

Now that we have created our website in IIS we will need to configure our ContinuaDeployTutorial project so that it publishes to our website. Open up your project and **right click the ContinuaDeployTutorial project** and select **properties**. Once the properties menu has opened, select **Package/Publish Web** which will bring up all the options for packaging and publishing your project.

There are two settings that we need to set:

- First, make sure that **Configuration** is set to our **Production** Configuration Solution. This will be automatically selected if Production is the currently set Configuration Solution.
- Second, we need to point our project to our IIS website. So lets set **IIS Web site/application name to use on the destination server** to our website, **DeployTutorialWebsite**.



Once these have been set, we are ready to publish our website.

Publishing our Website

Before we head back over to Continua we should attempt to publish our website through Visual Studio. So lets run through a test publish.

In Visual Studio, **right click your project** and select **Publish**, which will bring up the Publish Web dialog. Previously we published our website to a folder location, however this time we want to publish to our newly created IIS Website. So lets set the following properties:

- First, make sure the Publish Profile dropdown is set to Production.
- Change the **Publish method** to **Web Deploy**.
- Next we need to specify our Web server. The Web Deployment Handler listens on port 8172 so for the Service URL property needs to be in the following format: **https://<server_name>:8172/MsDeploy.axd**.
- For the Site/application property we need to define our IIS Website name. So lets set **Site/application** to **DeployTutorialWebsite**.
- Finally, check Allow untrusted certificate. This allows non administrator users on the web server to publish changes to your website. Depending on your development setup, you may want this on or off, but for the sake of this tutorial lets leave it on for now.

Publish Web

Publish profile:
Production

Rename Delete Save

Publish uses settings from "Package/Publish Web" and "Package/Publish SQL" tabs in Project Properties.

[Find Web hosting provider that supports one-click publish.](#)

Publish

Build configuration: Production
Use Build Configuration Manager to change configuration

Publish method: Web Deploy

Service URL: ?
e.g. localhost or https://RemoteServer:8172/MsDeploy.axd

Site/application: ?
e.g. Default Web Site/MyApp or MyDomain.com/MyApp

☐ Mark as IIS application on destination
☒ Leave extra files on destination (do not delete)

Credentials

☒ Allow untrusted certificate
Use this option only for trusted servers

User name:


Password:

☐ Save password

Publish Close

Now let's publish our website. If everything has gone according to plan then the Publish will have succeeded. Now if you check your website you should see the site up and running. If there were any issues publishing your website, these will need to be resolved before moving on to automating your publish with Continuum.

As a side note, if you are receiving an error regarding end points not listening or actively blocked then check that the Web Deployment Handler is installed and configured correctly.



Create a Deploy Stage in Continua

Now that we have our Web Application building and publishing successfully through Visual Studio, we need to do a bit of rearranging of our build workflow in Continua. Currently we only have one stage called Build, however what we really want is two stages broken up into the following functionality:

- **Build Stage:** This stage will be responsible for building our Web Application solution, running any unit tests, coverage tests, etc. Basically, the build stage should be responsible for building our project and checking that our project is ready to be deployed.
- **Deploy Stage:** The deploy stage, which will run straight after the Build Stage, will be responsible for packaging and deploying our Web Application to our deployment server.

Why Split our Build over 2 Stages?

By splitting our build into a Build and Deploy stage we are compartmentalising our build into two separate processes. For a standard build process, you would never want to deploy your website unless your solution compiled correctly, passed all unit tests, etc. By breaking your process into two separate stages, you can use [Stage Gates](#) to fail the build if any of these tests fail.

By default, once a stage completes successfully it will automatically start executing the next stage of the build. This may not be ideal if you are pushing to your live environment and you have a build being triggered off every check-in made to your Version Control System. If this is the case then you edit your Build Stage and prevent it from automatically promoting to the Deploy stage. This means that you can still automatically build every checkin but it will never deploy to the live site until it is manually promoted by a Continua user that has [permission to promote stages](#).

Create a Deploy Stage

Navigate back to your Workflow editor and click **Add Stage** to create a new stage after our Build stage.

Build

Save All Stages Add Stage Delete Stage Edit Stage Options Edit Stage Gate Create Variable ↑ ↓ ← → Edit Action Delete Action Cut Action Copy Action Paste Action

Search...

Enabled	Action	Name
✓	Create Directory	Create Directory [\$workspace\output\solution]
✓	MSBuild	MSBuild [\$source.continua deploy tutorial\continua deploy tutorial.sln]
✓	Create Directory	Create Directory [\$workspace\output\website]
✓	MSBuild	MSBuild [\$source.continua deploy tutorial\continua deploy tutorial\continua deploy tutorial.csproj]

Categories
Archivers
Build Runners
Code Coverage
File Operations
Flow Control
Generic
Miscellaneous
NuGet
Scripting
Unit Testing
Actions
 7-Zip Create
 7-Zip Extract

This will bring up the **Add Stage Dialog** as shown below. There are plenty of options and rules that can be set for a stage but for now we only need to worry about the Stage Name. So lets call our new stage **Deploy** and then **save the stage**.

Add Stage

Options

Workspace Rules

Repository Rules

Artifacts

Agent Requirements

Name

Deploy

☒
Automatically promote to the next stage

Required Field

Save

Cancel

Help

Once you have saved your stage, you should now see your two stages, Build and Deploy, listed across the top of the page. You may notice that when the Deploy stage is selected, our actions disappear! When the Deploy stage is selected, we are shown the workflow editor for the Deploy stage. If you select the Build stage, you will then see all our previously created actions as they belong to the Build stage workflow.



Save All Stages Add Stage Delete Stage Edit Stage Options Edit Stage Gate Create Variable ↑ ↓ ← → Edit Action Delete Action Cut Action Copy Action Paste Action

Search...

Categories

- Archivers
- Build Runners
- Code Coverage
- File Operations
- Flow Control
- Generic
- Miscellaneous
- NuGet
- Scripting
- Unit Testing

Actions

- 7-Zip Create
- 7-Zip Extract

Enabled	Action	Name
---------	--------	------

Move our Deploy Actions to the Deploy Stage

Now that we have a deploy stage, let rearrange our build workflow.

- First, lets **delete our second Create Directory Action**. As we will be deploying and packaging straight to our web server, we no longer need to package to a file directory beforehand.
- Second, we now need to **move our second MSBuild action** (the action that is building the web project, NOT the solution), to the deploy stage. Actions can be moved by selecting an action and using the **Cut Action and Paste Action buttons**.

Once the actions have been copied over, you should have two stages that look like this:

Your Build Stage:



Save All Stages Add Stage Delete Stage Edit Stage Options Edit Stage Gate Create Variable ↑ ↓ ← → Edit Action Delete Action Cut Action Copy Action Paste Action

Search...

Categories

- Archivers
- Build Runners
- Code Coverage
- File Operations
- Flow Control
- Generic
- Miscellaneous
- NuGet
- Scripting
- Unit Testing

Actions

- 7-Zip Create
- 7-Zip Extract

Enabled	Action	Name
✓	Create Directory	Create Directory [workspace\output\solution]
✓	MSBuild	MSBuild [source.continua deploy tutorial\continua deploy tutorial.sln]

Your Deploy Stage:



Save All Stages Add Stage Delete Stage Edit Stage Options Edit Stage Gate Create Variable ↑ ↓ ← → Edit Action Delete Action Cut Action Copy Action Paste Action

Search...

Categories	Enabled	Action	Name
Archivers	✓	MSBuild	MSBuild [\$source.continua deploy tutorial\continua deploy tutorial\continua deploy tutorial.csproj]

Build Runners
Code Coverage
File Operations
Flow Control
Generic
Miscellaneous
NuGet
Scripting
Unit Testing

Actions

- 7-Zip Create
- 7-Zip Extract

< Back X Exit Wizard without saving ✓ Save & Complete Wizard Save & Continue >

Automatically Publish and Package our Website

Now that we have broken our build process into two stages, we can change our Deploy MSBuild action so that it automatically Packages and Deploys our website. Basically, we now need to configure this action so that we incorporate all the information regarding packaging the website into the MSBuild Action.

Open the MSBuild action that is on the Deploy Stage. We now need to change the following properties:

- Set the **Targets** property to **MSDeployPublish**. This is basically telling MSBuild that we want to deploy our website. Note that even though we are deploying, MSBuild will still create a local copy that we can access before it deploys. This is always a good idea as it enables you to quickly revert your website back to a previous version.
- Remove the output path**. As we are now deploying our project, we cannot specify an output path. Further down in this tutorial will instead access our packaged website straight from the obj folder of our source code.

MSBuild Action

MSBuild

Properties

Environment

Required Field

Name

MSBuild [\$source.continua deploy tutorial\$\continua deploy tut

Enabled

☒

Project File

\$Source.ContinuaDeployTutorial\$\ContinuaDeployTutorial\Cont

The path and file name of a supported project file.

Verbosity

Normal

Specifies the amount of information to display in the build log.

Max CPU Count

0

The number of MSBuild processes to spawn. Set to 0 for default.

Targets

MSDeployPublish

Build the specified targets in the project. Separate targets by a semicolon.

Configuration

Production

The configuration to build.

Output Path

\$Workspace\$\Output

The build's output path.

Using

DotNet.4.0

Save

Cancel

Help

Once these properties have been modified, we will need to provide additional parameters to our MSBuild actions. Additional properties can be added by clicking the Properties tab of the dialog.

Properties take the form of `<property_name>=<property_value>` and each new property must begin on a new line. So lets add the following properties so that our Action can successfully deploy and package our website.

```

DeployOnBuild=True
MsDeployServiceUrl=https://<server_name>:8172/MsDeploy.axd
AllowUntrustedCertificate=True
MSDeployPublishMethod=WMSvc
CreatePackageOnPublish=True
UserName=<domain>\<username>
Password=<password>

```

Lets run through these properties:

- `DeployOnBuild=True`: This is telling MSBuild that we want to deploy our website once it has finished building.
- `msDeployServiceUrl`: This is the url to our Web deployment handler on our web server. This should be the same url as you used when we manually published our build.

- `AllowUntrustedCertificate=true`: This flag is the same as the Allow Untrusted Certificate check that is used when manually publishing a build.
- `MSDeployPublishMethod=WMSvc`: This tells MSBuild to use the Web deployment handler to publish the build.
- `CreatePackageOnPublish=True`: Creates a local package when deploying the website.
- `UserName=<domain>\<username>`: The username that will be used to deploy.
- `Password=<password>`: The username's password. Note that you can mask your password from the UI and build logs by using a password variable. Once you have your password in a password variable, you can call it here by using `Password=%myPasswordVariable%`

The properties tab should look something like this:

The screenshot shows the 'MSBuild Action' dialog box with the 'Properties' tab selected. The 'Properties' section contains a text area with the following MSBuild properties:

```

DeployOnBuild=True
MsDeployServiceUrl=https://test-server-2012:8172/MsDeploy.axd
AllowUntrustedCertificate=True
MSDeployPublishMethod=WMSvc
CreatePackageOnPublish=True
UserName=OFFICE\administrator
Password=password
  
```

Below the text area, it says 'Specify a MSBuild property per line.' At the bottom right, there are three buttons: 'Save', 'Cancel', and 'Help'. A 'Required Field' indicator is visible in the top right corner of the dialog.

Save the MSBuild action.

Copy our Website From the Continua Agent to the Server

Now that we have an action that packages and deploys our website, we need to copy our local packaged version of the website back to the Continua Server. By keeping a local copy, we are creating an easy rollback system in case something goes wrong during deployment.

To send our packaged website back to server we need to add a new [Workspace Rule](#) to our Deploy Stage. So let's edit our Deploy Stage and Navigate over to the Workspace Rules tab.

Workspace rules define which files get sent between the server and agent at the end of each stage. By default, each stage is configured to transfer any Output folders and subfolders between each stage, hence why our previous Builds were being transferred back to the Server at the end of each build.

So let's add a rule that will copy our website's package folder back to the server. Add the following line to the **Agent to server rules section**.

```
/ < /$Source.ContinuaDeployTutorial$/ContinuaDeployTutorial/obj/production/package**
```

This rule is saying that we want to copy the package folder and all sub folders back to the server's workspace.

Your Workspace Rules should look something like this:

Edit Stage Options

Options **Workspace Rules** Repository Rules Artifacts Agent Requirements

Workspace rules are used to determine where the workspace files will be located on the agent, and where the files will be synced back to.

```
#Server to agent rules
#-----
#copy output from previous stages to agent
/Output** > /

#-----
#Agent to server rules
#-----
#copy output from the agent to the server
/ < /Output**

/ < /$Source.ContinuaDeployTutorial$/ContinuaDeployTutorial/obj/production/package**

#-----
```

☒ Log Workspace files copied

[Reset to Default Patterns](#) [Validate Patterns](#)

- 'server_path > agent_path' moves files from the server to the agent at the start of the stage.
- 'server_path < agent_path' moves files from the agent to the server at the end of the stage.
- The '>' and '<' operators preserve the directory structure, '->' and '<-' do not.
- Add an extra '<' or '>' to ensure the target directory is empty, eg 'Output/** >> src/repo'
- Add a - at the start of the rule to exclude the directory/files from being copied. You don't need to specify a target directory, only a source and an operator to signify the direction. eg. -Output*.exe >

[Save](#) [Cancel](#) [Help](#)

Registering our Website as an Artifact

Registering artifacts allows you to keep track of important build files through the Continua interface once a build has completed.

To add our packaged website as an artifact of the build, select the **Artifacts tab** from the **Deploy Edit Stage dialog**.

Add the following line to the Artifact rules:

```
Package\**
```

This is telling Continua that every file in <server_workspace>/package should be added as an artifact to Continua.

Your Artifact rules should now look something like this:

Edit Stage Options

Options

Workspace Rules

Repository Rules

Artifacts

Agent Requirements

Rules to determine which files are recorded as Artifacts. All rules refer to the server's Workspace, so any files referenced here must be transferred back to the server using Workspace Rules.

#Artifact rules
#-----
#Register all variables as artifacts
#nunit | TestOutput**.xml

Package**

#-----

☐ Log Artifact files copied

Reset to Default Patterns

Validate Patterns

- nunit | TestOutput**.xml
- image | Output\logo.gif

Save

Cancel

Help

Save your stage settings, then click **Save & Continue**.

Integrating Continuous Integration

Now that our Build Workflow is complete, we have one more task to create a Continuous Integration build process.

The Save & Continue button should take you to the Triggers page of Continua CI. If not, this page can be found in the Configuration Wizard.

The final step of building this build process is to add a repository trigger that will monitor our ContinuaDeployTutorial VCS for any checkins and automatically deploy those changes to our web server.

On the Triggers page, click **[Create]** which will bring up the **Create Trigger dialog**.

Set the following properties:

- Name: DeployTutorialTrigger
- Type: Repository

New Trigger

Trigger

Repository

Variables

Required Field

Name

DeployTutorialTrigger

Build Priority

Normal

This determines which build should run first when there are more builds queued than available agents.

Enabled

☒

Force Repository Check

☒

Check for changes in all repositories associated with this configuration every time a build is started by this trigger.

Type

Repository

Trigger specific properties can be set via the tabs above.

Save

Cancel

Help

Once the Repository type has been selected, a repository tab will appear at the top of the dialog. **Navigate to the Repository tab** and set the **Repository property** to **ContinuaDeployTutorial**.

Once those properties have been saved, you have then successfully created a trigger that will monitor your repository for any changes and automatically trigger a build. More information can be found on the [Repository Trigger](#) page.

New Trigger

Trigger

Repository

Variables

Repository

ContinuaDeployTutorial

Quiet Period (min)

5

Length of time that a build will wait on the queue before starting.

Associate Changesets

Latest

Associate only the latest changeset from non-triggering repositories or associate all changesets from non-triggering repositories that have been committed since the last successful build.

Trigger from

All branches

☐ Only notify users who caused the build

Save

Cancel

Help


Deploy our Website

Now that our Build Workflow is complete and we have a trigger that is monitoring our website VCS, we are ready to deploy our website to our production server. Head back to Visual studio and make a change to your website. Save your changes and check them in to your VCS.

Once a change has been detected, head over to the configuration page and you will see that a build is queued and it is waiting for it's quiet period to end. Quiet periods briefly pauses the build and waits for any other quick changes to be checked in. End the quiet period and watch as the build is executed.

If the build fails, check the build log to retrieve MSBuild's output and determine the issue that is preventing the build from completing successfully.

Once the build completes successfully, navigate to your website and the source code from the latest checkin should now be deployed on your website, as shown below.



Once your build has finished building, clicking the build number will bring up the Build Details page. If you then navigate to the artifacts page, you will then see all the files that were part of the website package. If you ever need to roll back a deploy then you can do so through this page.

Note that these files can also be accessed from the Continua Server by navigating to the server's workspace. The workspace takes the following formatting: **<ContinuaShare>/Ws/<Project_name>/<Build_ID>**

Conclusion

This tutorial demonstrates the correct way of managing Web deployment in a Continuous Integration environment. While this tutorial has made your web project deployable, there are still improvements that can be made to your build process:

- Use Continua Variables to specify which web server you are deploying. For example, you can setup your trigger to set the following variables depending on which branches of your repository were checked in.
 - Set a variable that tells MSBuild which Configuration Solution it should use to build the web project.
 - Set a variable that tells MSBuild which Server the website should be deployed to.
 - So if a 'master' branch is checked in, it will deploy to your production server, while if a 'dev' branch is checked in, it should deploy to your test server.
- Add an [Issue Connector](#) to your repository.
- Add Unit tests and code coverage tests to your build process.