

Part 3: Build your Web App with Continua

This is part 3 of our [Deploying Websites with Continua CI](#) tutorial. It is highly recommended that you complete both [Part 1: Create a Web Application](#) and [Part 2: Transform Web.Configs](#) before continuing with this tutorial.

So far in this tutorial, we have [created a test web application](#) and [dynamically transformed our web.configs](#). In part 3, we will add our web application to a Version Control System (VCS) and build the project in Continua CI using MSBuild.

- [Adding our Web Application to a Version Control System \(VCS\)](#)
- [Create a Deploy Project and Configuration in Continua CI](#)
- [Link Our Configuration to Our VCS](#)
- [Create a Build Process](#)
 - [Create our Solution Output Directory](#)
 - [Build our Solution using MSBuild](#)
 - [Create our Website Output Directory](#)
 - [Build and Package our Web Application Project using MSBuild](#)
 - [Reviewing your Build Process](#)
- [Build our Deploy Project](#)
- [Deploying our Build](#)

Adding our Web Application to a Version Control System (VCS)

When using Continua CI, it is best practice to access any build process elements through a Version Control System (VCS). While we can access our Deploy Web Application through the file system, it is highly recommended that the Web Application is added to a VCS of your choosing.

While you can use any VCS of your choosing, for this tutorial we will be using Mercurial as our VCS. Continua interacts with all VCSs the same way so you can use any VCS for this tutorial.

Go ahead and add your Web Application to a VCS of your choosing.

Create a Deploy Project and Configuration in Continua CI

For this tutorial we will create a new project and configuration in Continua CI. Lets call our project **Deploy Project** and then create a configuration under **Deploy Project** called **Deploy Configuration** (as shown below).

If you need additional help with creating your project or configuration then check out our getting started tutorials, in particular [Part 1: Create your First Project](#) and [Part 2: Create your First Configuration](#).

Project Wizard

1 Details > 2 Repositories > 3 Variables > 4 Security > 5 Cleanup > 6 Finished

Projects allow you to logically group configurations and share common build components such as repositories and security policies.

- [Projects & the Project Wizard](#)
- [Continua CI Concepts: Global Settings, Projects & Configurations](#)

Name

Deploy Project

The name of your project may contain up to 128 characters. Your project's name can contain letters, numbers, spaces, dashes, periods or underscores.

Slug

Deploy_Project

The project's slug is used in the url when linking to a project. It may contain up to 128 characters but it must start with a letter or a number and can only contain letters, numbers, underscores and hyphens.

Description

Our Deploy tutorial project!

Versioning

☐ Set project-wide versioning

✕ Exit Wizard Without Saving

✓ Save & Complete Wizard

➤ Save & Continue

The Configuration wizard will guide you through the creation of your build Configuration. For more information regarding Configurations, visit the following wiki pages:

- [Configurations & the Configuration Wizard](#)
- [Continua CI Concepts: Global Settings, Projects & Configurations](#)

Name

Deploy Configuration

Required Field

Description

Our Deploy tutorial configuration!

☒ **Enabled**

Whether a build can be started from this configuration.

Versioning**Version Counter**

0

The version counter is used to populate `$(Build.BuildNumber)` and specifies the starting number for your incremental build count.

☐ Reuse build number if previous build was discarded, stopped or failed while initialising**Version Format String**

1.0.0.\$Build.BuildNumber\$

The version format string can contain [expressions](#) which allows this field to use dynamic values.

Options☒ Enable queue build button☒ Enable quick start build button☒ Enable requeue build button**Default Associated Changesets**

Most recent changesets

Which changesets to list, by default, on the Changes tab of the Build view for builds started with this configuration.

☒ Force repository check by default[✕ Exit Wizard Without Saving](#)[✔ Save & Complete Wizard](#)[Save & Continue ➤](#)

Link Our Configuration to Our VCS

Now that we have our Deploy project and Deploy Configuration, lets link our **Web Application** to our **Deploy Configuration** via our VCS.

Navigate to the **Repositories** page under the **Configuration Wizard** for our **Deploy Configuration**. On this page you can link your VCS to Continua CI at either the Global, Project or Configuration level (learn more about [Repository Scope](#)). For this tutorial, lets link our repository to the Configuration by clicking the **[Create]** link next to the **Configuration Repositories** header.

Link your Version Control Systems (VCS) to this Configuration. Repositories can be created at the Global, Project or Configuration level.

Note that scope changes and repository assignments are actioned immediately

- [What is a Repository?](#)
- [Creating and Editing Repositories](#)
- [Repository Scope](#)
- [Repository Types](#)

Global Repositories [\[Create\]](#)

Global Repositories can be used by any Configuration in any Project.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
No repositories were found.							

Project Repositories [\[Create\]](#)

Project Repositories can be used by any Configuration in this Project.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
No repositories were found.							

Configuration Repositories [\[Create\]](#)

Configuration Repositories can only be used by this Configuration.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
No repositories were found.							

[← Back](#)[✔ Complete Wizard](#)[Continue →](#)

Clicking the **[Create]** link will bring up the Create Repositories dialog. Using this dialog, enter any VCS specific information that Continua will need to successfully link to your repository. Lets call our repository **ContinuaDeployTutorial**. For this tutorial I have created a Mercurial repository for our Web Application (as shown below). Once you have entered all your VCS settings, you can click Validate which will determine whether your repository is valid and has successfully been linked to Continua.

New Repository

Repository

Mercurial

Branches

Tags

SSH

Options

Filtering

Downtime

Required Field

Name

ContinuaDeployTutorial

Issue Connector



Polling Frequency

Normal (60 Seconds)



Timeout (mins)

60

Type

Mercurial



☒ Checkout files to workspace

Clear this if you are only using this repository to trigger builds and do not want to copy any files to the workspace.

☒ Enabled

Repository specific properties can be set via the tabs above.

The default repository branches for this configuration can be defined using the "Mappings" dialog.

Validate

Save

Cancel

Help

New Repository

Repository

Mercurial

Branches

Tags

SSH

Options

Filtering

Downtime

Required Field

Source Path

i:\tutorials\continuaDeployTutorial

Username

The username for hg repository.

Password

The password for hg repository.

Using

Mercurial.Default

Use the executable found by this property collector

Validate

Save

Cancel

Help

Once you have saved your repository, you should then see it appear under Configuration Repositories, as shown below.

Global Repositories [\[Create\]](#)

Global Repositories can be used by any Configuration in any Project.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
No repositories were found.							

Project Repositories [\[Create\]](#)

Project Repositories can be used by any Configuration in this Project.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
No repositories were found.							

Configuration Repositories [\[Create\]](#)

Configuration Repositories can only be used by this Configuration.

Status	Repository	Type	Last Checked	Issue Connector	Used By	Operations	Change Scope
Ready	ContinuaDeployTutorial	Mercurial	21 seconds ago		Deploy Project: Deploy Configuration	[Edit] [Clone] [Mappings] [Delete] [Check Now]	[Global] [Project]

Back

Complete Wizard

Continue

Create a Build Process

Now that we have linked our Web Application to Continua CI, we will need to create an MSBuild action to build our Web Application Solution. For this tutorial, we will run **MSBuild over our project twice**. Basically before we can package our Web Application, we need to Compile the entire solution, which may include tests, services, etc. Once the solution has compiled correctly, we can then run MSBuild over our website project file. With this in mind, we will need a build process that looks something like this:

- **Create an output directory** for our solution in the Agent's workspace.
- **Build our solution** (i.e. the .sln file) using MSBuild.
- **Create an output directory** for our website in the Agent's workspace.
- **Build and Package our Website project** (i.e. the .csproj file) using MSBuild.


While in the **Configuration Wizard**, navigate to the **Stages** page. The stages page is where you add your individual build actions to the configuration. It is also where you control the flow of various actions by using if, else, etc. actions.

Once you have navigated to the Stages page, you should see that a **Build stage has already been created for you**. This stage is created for new configurations by default, however it can be renamed.

Create our Solution Output Directory

Before we can create our MSBuild action, we will need to create an output directory in the Agents workspace. This directory will be where our built ContinuaDeployTutorial solution will be stored. In Continua, it is best practice to store all information relating to a build within the Agent's workspace. This means that all information regarding an individual build is contained within it's own build folder.

So lets create a [Create Directory Action](#) by clicking the **File Operations Category** and selecting the **Create Directory Action** (As shown below).



This will bring up the **Create Directory Action** dialog. The only property that we need to set is the **Path property**, which should be set to `$Workspace$Output\Solution`. This is telling Continua to **create the Output/Solution directories in the Agent Workspace**. This directory will be where we store our Web App once we have built our project.

Create Directory Action

Create Directory

Comments

Required Field

Name

Create Directory []

☒ Enabled

Path

\$Workspace\$\Output\Solution

The directory to create and its full path. Any directories in the path that do not exist will be created.

☐ Fail if directory exists
☐ Ignore warnings

Validate

Save

Cancel

Help

Once you have saved the action, you will see that your Create Directory Action has been added to the Workflow window in the Build Stage.

Build our Solution using MSBuild

Lets go ahead and **Create a MSBuild action on the Build stage** by clicking the **Build Runners category** and selecting the **MSBuild action**. This will add the MSBuild action below the Create Directory action that we have already created.



Save All Stages

Add Stage

Delete Stage

Edit Stage Options

Edit Stage Gate

Create Variable

↑

↓

←

→

Edit Action

Delete Action

Cut Action

Copy Action

Paste Action

Search...

Actions: Build Runners

Ant

Cake

DotNet Build

Fake

FinalBuilder

Grunt

Gulp

Maven

MSBuild

NAnt

Rake

Visual Studio

Enabled	Action	Name
✓	Create Directory	Create Directory [\$Workspace\$\Output\Solution]

Back

Exit Wizard without saving

Save & Complete Wizard

Save & Continue

Selecting the MSBuild action will bring up the Create Action Dialog which allows you to set the parameters that will be used when the MSBuild action is executed. So lets set the following parameters:

- Firstly, lets point our action to our **Web Application Solution file** in our newly created **continuaDeployTutorial repository**. To point an action to a repository we use **expressions** to reference our repository. So to point our MSBuild action to our Solution file, we would use the following syntax: `$Source.<repository_name>$/<file_path>`. So lets set the **Project File property** to **\$Source.continuaDeployTutorial\$ContinuaDeployTutorial.sln**.

- We will also need to provide an **Output Path** for the MSBuild action. This should be **set to a folder where our built project should be stored**. Again, we can use [expressions](#) to point this property to the Agents workspace directory using the `$Workspace$\<subdirectory>` syntax. So lets set MSBuild's Output Path property to **`$Workspace$\Output`**.
- We need to set the **Configuration property** which tells MSBuild which Visual Studio Solution Configuration should be used when building our solution. Now that we have our Web.Config transforms configured correctly, lets set the **Configuration property to Production**.
- Finally, lets set the **Using property to MSBuild 15.0**.

MSBuild Action

MSBuild

Options

Properties

Environment

Comments

Required Field

Name

MSBuild []

☒ Enabled

Project File or Folder

\$Source.continuaDeployTutorial\$\continuaDeployTutorial.sln

...

The path to a supported project file or a project folder. Leave blank to build the workspace folder.

Targets

compile;resources;deploy

Build the specified targets in the project. Separate targets by a semicolon.

Configuration

Production

The configuration to build.

Platform

The platform to build. Leave blank to use the default for the specified configuration

Output Path

\$Workspace\$\Output\Solution

The build's output path.

Using

MSBuild.15.0

Validate

Save

Cancel

Help

Once all these properties have been set, **save the action** and you should see it appear below our Create Directory Action.

Create our Website Output Directory

Now that we have created our actions that will build our solution, we need to add another **Create Directory action** and another **MSBuild action** that will build our Web Application project.

So lets add another Create Directory action, but this time we want to create the directory **`$Workspace$\Output\Website`** (as shown below).

Create Directory Action

Create Directory

Comments

Required Field

Name

Create Directory []

☒ Enabled

Path

\$Workspace\$\Output\Website

The directory to create and its full path. Any directories in the path that do not exist will be created.

☐ Fail if directory exists

☐ Ignore warnings

Validate

Save

Cancel

Help

Build and Package our Web Application Project using MSBuild

Now we can finally build and package our Web Application so that it is ready to be deployed. Create another MSBuild action and give it the following properties:

- Set the project file to **the project file of the Web Application**. This will build only the Website and no other components in your solution. For our example, we have given the project file the following value: **\$Source.continuaDeployTutorial\$\continuaDeployTutorial\continuaDeployTutorial.csproj**
- Set **Targets** to **package**. This tells MSBuild that it should also package up our website into its own .zip folder so that we can then deploy our site to our production server.
- Set **Configuration** to **Production** so that our Production web.config will be used.
- Set the **Output Path** to our Website output folder, **\$Workspace\$\Output\Website**.
- Set the **Using** property to **MSBuild 15.0**.

MSBuild Action

MSBuild

Options

Properties

Environment

Comments

Required Field

Name

MSBuild []

☒ Enabled

Project File or Folder

\$Source.continuaDeployTutorial\$\continuaDeployTutorial\continuaDeployTutorial.csproj

...

The path to a supported project file or a project folder. Leave blank to build the workspace folder.

Targets

package

Build the specified targets in the project. Separate targets by a semicolon.

Configuration

Production

The configuration to build.

Platform

The platform to build. Leave blank to use the default for the specified configuration

Output Path

\$Workspace\$\Output\Website

The build's output path.

Using

MSBuild.15.0

▼

Validate

Save

Cancel

Help

Reviewing your Build Process

Once we have created all 4 actions, our build process should look something like this:



Save All Stages

Add Stage

Delete Stage

Edit Stage Options

Edit Stage Gate

Create Variable

↑

↓

←

→

Edit Action

Delete Action

Cut Action

Copy Action

Paste Action

Search...

Actions: Build Runners

Ant

Cake

DotNet Build

Fake

FinalBuilder

Grunt

Gulp

Maven

MSBuild

NAnt

Rake

Visual Studio

Enabled	Action	Name
✓	Create Directory	Create Directory [\$Workspace\$\Output\Solution]
✓	MSBuild	MSBuild [\$Source.continuaDeployTutorial\$\continuaDeployTutorial.sln]
✓	Create Directory	Create Directory [\$Workspace\$\Output\Website]
✓	MSBuild	MSBuild [\$Source.continuaDeployTutorial\$\continuaDeployTutorial\continuaDeployTutorial.csproj]

Back

Exit Wizard without saving

Save & Complete Wizard

Save & Continue

Once you are happy with your build process, click the **Save & Complete Wizard** button.

Build our Deploy Project

Now that we have created our actions, lets run the build. Navigate to the Configuration page and click the **Fast Run button (the fast forward button)**. Once the build has finished running, it should turn green if it completed successfully.

Configuration : Deploy Configuration

Fail Streak: 0

Success Ratio:

Build Times:

Queue Times:

ACTIVITY

HISTORY

METRICS

CHANGES

AGENTS

Running Builds

Build #	State	Stages	Started By	Branches	Started	Duration	Changesets
No running Builds were found.							


Queued Builds

Build #	State	Stages	Started By	Branches	Started	Elapsed	Changesets
No queued Builds were found.							

Recently Completed Builds (2)

Build #	State	Stages	Started by	Branches	Finished	Duration	Changesets	Artifacts	Tags
1.0.0.1	[Pin] Build Completed		Dave McConnell	default	3 minutes ago	7 seconds	1 changesets	2 files	None
#0	[Pin] Build Error		Dave McConnell		4 minutes ago		0 changesets	0 files	None

Once your build has completed successfully, you can see the end result of our build by navigating to your Continua server workspace and finding your build folder. Your build can be found on your Continua server in the following directory: **<your_continua_share>\WS\<project_name>\<build_number>\Output**. Navigate to this directory and you should see your 2 directories, **Solution** and **Website**. The Solution directory should now contain your built solution while the Website directory should contain your built project and your packaged project. Your packaged project should look similar to the packaged project shown below. It is this package that we now want to deploy to our production server.



Deploying our Build

Now that we can successfully build our configuration, lets move on the [Part 4: Deploy Your Web App](#) where you can learn about deploying your Web Application to your production server.

[Part 4: Deploy Your Web App](#)