

Importing Project Configurations From File

Once you are on the **Import and Export** page in the Administration section, ensure that the **Import** tab is selected to start the Import Wizard. Click **Browse** to select a file to upload, then click the **Upload** button to send the file to the server for processing.

File & Project Details

Import and Export

Export

Import

1

File & Project Details >

2

Configurations >

3

Repositories >

4

Variables >

5

Shared Resources >

6

Issue Connectors >

7

Options >

8

Run Import

Import File and Select Project

YAML or JSON File

ContinusCI Export of 'Testing' 2020-08-26.yaml

Upload

Browse ...

Upload the selected file to read project details.

The main details about the imported file will be displayed and you will be provided with options allowing you to either **Import to a new project**, **Import to any existing project** or, if matching project is found, **Import to a matching project**.

Import to a matching project

Import and Export

Export Import

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

Import File and Select Project

YAML or JSON File

Select file...

Upload

Browse ...


The file `ContinuaCI Export of 'Testing' 2020-08-26.yaml` contains configurations exported from the project `Testing` with slug `Testing`.

A project exists with a matching name and slug. Project details are included in file. Project permissions are included. Configuration permissions are included.

Import to matching project	Import to new project	Import to any existing project
Existing Project Name	Testing	
New Project Name	<div><div><input checked="" type="checkbox"/> Overwrite project name?</div><div></div></div>	
	<div><input type="checkbox"/> Overwrite project details?</div>	
	<div><input type="checkbox"/> Overwrite project permissions?</div>	
	<div><input type="checkbox"/> Overwrite configuration permissions?</div>	

Next >

If a matching project is found on the server, you can choose to overwrite the project. You can optionally choose to **Overwrite the project name** and provide a **New Project Name** for the matching project. If project details exist in the imported file, then you can optionally **Overwrite project details** in the matching project. Likewise, if project permissions exist in the imported project, you can optionally **Overwrite project permissions** in the matching project. In later steps, you will also have the option to overwrite configurations in the matching project, if configuration permissions exist and you choose **Overwrite configuration permissions** here, then the permissions will be overwritten in all selected configurations.

 Note when importing over existing items, that the changes that are made can not be undone. It is advisable to take a full database backup first.

Import to a new project

Import and Export

Export **Import**

1 File & Project Details > **2** Configurations > **3** Repositories > **4** Variables > **5** Shared Resources > **6** Issue Connectors > **7** Options > **8** Run Import

Import File and Select Project

YAML or JSON File

Select file...

Upload

Browse ...

The file `ContinuaCI Export of 'Testing' 2020-08-26.yaml` contains configurations exported from the project `Testing` with slug `Testing`.

A project exists with a matching name and slug. Project details are included in file. Project permissions are included. Configuration permissions are included.

Import to matching project	Import to new project	Import to any existing project
New Project Name	Imported Testing	
New Project Slug	Imported_Testing	

Next >

You can choose to import the project as a new project and give in a **New Project Name** and **New Project Slug**. All project details, permissions and configurations will be imported to this new project.

Import to any existing project

Import and Export

Export **Import**

1 File & Project Details > **2** Configurations > **3** Repositories > **4** Variables > **5** Shared Resources > **6** Issue Connectors > **7** Options > **8** Run Import

Import File and Select Project

YAML or JSON File

Select file...

Upload

Browse ...

The file `ContinuaCI Export of 'Testing' 2020-08-26.yaml` contains configurations exported from the project `Testing` with slug `Testing`.

A project exists with a matching name and slug. Project details are included in file. Project permissions are included. Configuration permissions are included.

Import to matching project	Import to new project	Import to any existing project
Project To Import To	Client Testing (<i>Client_Testing</i>)	
New Project Name	<input checked="" type="checkbox"/> Overwrite project name? Imported Testing	
	<input type="checkbox"/> Overwrite project details?	
	<input type="checkbox"/> Overwrite project permissions?	
	<input type="checkbox"/> Overwrite configuration permissions?	

Next >

You can choose to select an existing project to overwrite. If project details exist in the imported file, then the existing project details will be replaced with these details. You can optionally choose to **Overwrite the project name** and provide a **New Project Name** for the existing project. In later steps, you will also have the option to overwrite configurations in the existing project.

You can choose to select an existing project to overwrite. You can optionally choose to **Overwrite the project name** and provide a **New Project Name** for the existing project. If project details exist in the imported file, then you can optionally **Overwrite project details** in the existing project. Likewise, if project permissions exist in the imported project, you can optionally **Overwrite project permissions** in the existing project. In later steps, you will also have the option to overwrite configurations in the existing project, if configuration permissions exist and you choose **Overwrite configuration permissions** here, then the permissions will be overwritten in all selected configurations.

 Note when importing over existing items, that the changes that are made can not be undone. It is advisable to take a full database backup first.

Once you have chosen the relevant Project options, click Next to move to the Configurations step.

Configurations











The Configurations step of the Import wizard shows a list of all the configurations in the imported document. Check boxes are provided allowing you to choose which configurations to import.

Import and Export

ExportImport

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

The imported file contains the following configurations. Choose which one(s) to import into existing project with name "Testing" renamed to "Imported Testing":


<input checked="" type="checkbox"/> TFS Hook Test	 Overwrite	
<input checked="" type="checkbox"/> BuildVersionTest2	 Rename	New Name: BuildVersionTest 3
<input checked="" type="checkbox"/> Agent Lock Test	 Overwrite and rename	New Name: Agent Lock Test 2
<input checked="" type="checkbox"/> Octopus Deploy Test	 Create new	New Name: Octopus Deploy Test 2
<input checked="" type="checkbox"/> MSTest Configuration	 Overwrite	
<input checked="" type="checkbox"/> Trigger Tests	 Overwrite	
<input checked="" type="checkbox"/> File Transfer Test	 Overwrite	
<input checked="" type="checkbox"/> TFS Test	 Overwrite	
<input type="checkbox"/> Hanging FBCMD 3	 Overwrite	
<input checked="" type="checkbox"/> Mapping Test 2	 Rename	


Back

Select All

Deselect All

Next

If importing to a new or empty project, or if no match is found for a configuration, a  icon is displayed, indicating the configuration is new. You can optionally give the new configuration a new name by clicking on the **Rename** button. A **New Name** text box is shown allowing you to enter the new name.

If importing to an existing project and a match is found for a configuration, a  icon is displayed, indicating the configuration exists. You can choose to:

- Overwrite:** The fields in the matching existing configuration will be overwritten with the fields in the imported configuration,
- Overwrite and rename:** The fields in the matching existing configuration will be overwritten with the fields in the imported configuration, plus a **New Name** text box will be shown allowing you to enter a new name to apply to the matching existing configuration.
- Create new:** A new configuration will be created and populated with the imported field values. A **New Name** text box is shown allowing you to enter a name for the new configuration.

Once you have chosen the required Configurations and related options, click **Next** to move to the Repositories step. Alternatively, click **Back** to return to the File & Project Details step.

Repositories

The Repositories step of the Import wizard shows a list of all the repositories in the imported document. Check boxes are provided allowing you to choose which repositories to import.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > **3 Repositories** > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

The imported file contains the following repositories. Choose which one(s) to import:

<input checked="" type="checkbox"/> Global:DUnitX4	ⓘ Overwrite	ⓘ Scope: Global
<input checked="" type="checkbox"/> Global:TFSTest2	★ Create new	Name: TFSTest2 ⓘ Scope: Global
<input checked="" type="checkbox"/> Project (Testing):BuildTest	ⓘ Overwrite and rename	New Name: BuildTest_2 ⓘ Scope: Project
<input checked="" type="checkbox"/> Configuration (TFS Hook Test):TFS2018GitTestProject	ⓘ Overwrite	ⓘ Scope: Configuration
<input checked="" type="checkbox"/> Configuration (BuildVersionTest2):Manual2	★ Create new	Name: Manual2 ⓘ Scope: Configuration
<input type="checkbox"/> Configuration (Octopus Deploy Test):OctoDeployTestRepo	ⓘ Overwrite	ⓘ Scope: Configuration
<input checked="" type="checkbox"/> Configuration (Hanging FBCMD 3):FinalBuilderProjects3	ⓘ Overwrite	ⓘ Scope: Configuration

Global
Project
Configuration

⏪ Back ✓ Select All ✕ Deselect All Next ⏩

If an existing matching repository is not found a ★ icon is displayed and, if the repository is selected, it will be created as a new repository. You can optionally edit the **Name** and change the **Scope** for the new repository to Global, Project or Configuration. Note that Configuration scope is only available if you are importing a single configuration.

If an existing matching repository is found a ⓘ icon is displayed. You can choose to:

- **Overwrite:** The fields in the matching existing repository will be overwritten with the fields in the imported repository. With this option selected, the repository **Scope** can optionally be changed to a more general scope. e.g. Configuration to Project/Global, or Project to Global.
- **Overwrite and rename:** The fields in the matching existing repository will be overwritten with the fields in the imported repository, plus a **New Name** text box will be shown allowing you to enter a new name to apply to the matching existing repository. With this option selected, the repository **Scope** can optionally be changed to a more general scope. e.g. Configuration to Project/Global, or Project to Global.
- **Create new:** A new repository will be created and populated with the imported field values. A **New Name** text box is shown allowing you to enter a name for the new repository. You can also optionally change the **Scope** for the new repository to Global, Project or Configuration. Note that Configuration scope is only available if you are importing a single configuration.

Once you have chosen the required Repositories and related options, click **Next** to move to the Variables step. Alternatively, click **Back** to return to the Configurations step.

Variables

The Variables step of the Import wizard shows a list of all the variables in the imported document. Check boxes are provided allowing you to choose which variables to import.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > 3 Repositories > **4 Variables** > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

The imported file contains the following variables. Choose which one(s) to import:

<input checked="" type="checkbox"/> Global:Blah	Overwrite	Scope: Application
<input checked="" type="checkbox"/> Project (Testing):DeploymentOptions	Create new	Name: <input type="text" value="DeploymentOptions_2"/> Scope: <input type="text" value="Project"/>
<input type="checkbox"/> Configuration (Agent Lock Test):firstagent	Overwrite	Scope: <input type="text" value="Configuration"/>
<input checked="" type="checkbox"/> Configuration (Agent Lock Test):IsHotFix	Overwrite	Scope: <input type="text" value="Configuration"/>
<input checked="" type="checkbox"/> Configuration (Agent Lock Test):Branch	Overwrite	Scope: <input type="text" value="Configuration"/>

Application

Project

Configuration

[< Back](#) [✔ Select All](#) [✖ Deselect All](#) [Next >](#)

If an existing matching variable is not found a icon is displayed and, if the variable is selected, it will be created as a new variable. You can optionally edit the **Name** and change the **Scope** for the new variable to Application, Project or Configuration. Note that Configuration scope is only available if you are importing a single configuration.

If an existing matching variable is found a icon is displayed. You can choose to:

- **Overwrite**: The fields in the matching existing variable will be overwritten with the fields in the imported variable. With this option selected, the variable **Scope** can optionally be changed to a more general scope. e.g. Configuration to Project/Application, or Project to Application.
- **Overwrite and rename**: The fields in the matching existing variable will be overwritten with the fields in the imported variable, plus a **New Name** text box will be shown allowing you to enter a new name to apply to the matching existing variable. With this option selected, the variable **Scope** can optionally be changed to a more general scope. e.g. Configuration to Project/Application, or Project to Application.
- **Create new**: A new variable will be created and populated with the imported field values. A **New Name** text box is shown allowing you to enter a name for the new variable. You can also optionally change the **Scope** for the new variable to Application, Project or Configuration. Note that Configuration scope is only available if you are importing a single configuration.

Once you have chosen the required Variables and related options, click **Next** to move to the Shared Resources step. Alternatively, click **Back** to return to the Repositories step.

Shared Resources




The Shared Resources step of the Import wizard shows a list of all the shared resources in the imported document. Check boxes are provided allowing you to choose which shared resources to import.

Import and Export


Export Import


1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

The imported file contains the following shared resources. Choose which one(s) to import:

<input checked="" type="checkbox"/> Agent.Testing.Test1	 Overwrite	
<input checked="" type="checkbox"/> Server.Tools.SmartAssembly	 Create new	Name: Tools.SmartAssembly.2
<input checked="" type="checkbox"/> Server.FileShare.Deployment.3	 Overwrite and rename	New Name: FileShare.Deployment.3.2

[< Back](#) [✔ Select All](#) [✖ Deselect All](#) [Next >](#)

If an existing matching shared resource is not found a  icon is displayed and, if the shared resource is selected, it will be created as a new shared resource. You can optionally edit the **Name** for the new shared resource.

If an existing matching shared resource is found a  icon is displayed. You can choose to:

- **Overwrite:** The fields in the matching existing shared resource will be overwritten with the fields in the imported shared resource.
- **Overwrite and rename:** The fields in the matching existing shared resource will be overwritten with the fields in the imported shared resource, plus a **New Name** text box will be shown allowing you to enter a new name to apply to the matching existing shared resource.
- **Create new:** A new shared resource will be created and populated with the imported field values. A **New Name** text box is shown allowing you to enter a name for the new shared resource.

Once you have chosen the required Shared Resources and related options, click **Next** to move to the Issue Connectors step. Alternatively, click **Back** to return to the Variables step.

Issue Connectors

The Issue Connectors step of the Import wizard shows a list of all the issue connectors in the imported document. Check boxes are provided allowing you to choose which issue connectors to import.

Import and Export

Export Import

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

The imported file contains the following issue connectors. Choose which one(s) to import:

☒ GitHub-Default 

Create new


Overwrite


Overwrite and rename

Create new

 Name:

[< Back](#) [✔ Select All](#) [✖ Deselect All](#) [Next >](#)

If an existing matching issue connector is not found a  icon is displayed and, if the issue connector is selected, it will be created as a new shared resource. You can optionally edit the **Name** for the new issue connector.

If an existing matching issue connector is found a  icon is displayed. You can choose to:

- **Overwrite:** The fields in the matching existing issue connector will be overwritten with the fields in the imported issue connector.
- **Overwrite and rename:** The fields in the matching existing issue connector will be overwritten with the fields in the imported issue connector, plus a **New Name** text box will be shown allowing you to enter a new name to apply to the matching existing issue connector.
- **Create new:** A new issue connector will be created and populated with the imported field values. A **New Name** text box is shown allowing you to enter a name for the new issue connector.

Once you have chosen the required Issue Connectors and related options, click **Next** to move to the Options step. Alternatively, click **Back** to return to the Shared Resources step.

Options

This step of the Import wizard allows you to choose options related to the import process.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > **7 Options** > 8 Run Import

Importing 9 configurations into existing project with name "Testing": TFS Hook Test, BuildVersionTest2, Agent Lock Test, Octopus Deploy Test, MSTest Configuration, Trigger Tests, File Transfer Test, TFS Test and Mapping Test 2.
Importing 6 repositories, 4 variables, 3 shared resources and 1 issue connector.

Options

Action On Validation Error ☐ Skip item and continue.

☒ Skip item and continue, but abort before committing.

☐ Abort immediately.

Encryption The imported document contains passwords and other sensitive values which have been encrypted. These can be decrypted and imported on this server.

☐ Do not import passwords and other sensitive values. Values will be blank.

◀ Back

Run Import ▶

Action On Validation Error

If the imported file contains invalid content for any of the fields, then a validation error may occur and will be displayed in the import log. Here you can choose whether the import process should continue or abort.

Abort immediately: If a validation error occurs, the import process will be aborted, no items will be imported, no changes will be committed to the database.

Skip item and continue, but abort before committing: This is the default option. If it is possible to continue, then the invalid item will be skipped and a warning will be displayed in the import log. The import process will continue to import the next item. At the end of the import process, changes will not, however, be committed to the database. If there are multiple validation issues, then this option will allow you to see all of them at once.

Skip item and continue: If it is possible to continue, then the invalid item will be skipped and a warning will be displayed in the import log. The import process will continue to import the next item. At the end of the import process, changes will be committed to the database.

Encryption

If the imported file contains encrypted passwords and other sensitive values, then you can choose whether to import them.

If you are import a file exported on a different server, the encryption keys will be different. In this case, input boxes will be provided to allow you to enter the encryption parameters.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > **7 Options** > 8 Run Import

Importing 10 configurations into existing project with name "Testing": TFS Hook Test, BuildVersionTest2, Agent Lock Test, Octopus Deploy Test, MSTest Configuration, Trigger Tests, File Transfer Test, TFS Test, Hanging FBCMD 3 and Mapping Test 2.

Importing 7 repositories, 5 variables, 3 shared resources and 1 issue connector.

Options

Action On Validation Error ☐ Skip item and continue.

☒ Skip item and continue, but abort before committing.

☐ Abort immediately.

Encryption The imported document contains passwords and other sensitive values which have been encrypted using parameters which are different to those on this server. Enter the following symmetric encryption parameters to decrypt these values so that they can be imported.

Key

Vector

 The values for these parameters can be found in the configuration file for the server that the document was exported from.

☐ Do not import passwords and other sensitive values. Values will be blank.

[< Back](#)

[Run Import >](#)

The encryption **Key** and **Vector** can be found in the appSettings section of [server configuration file](#) under the keys "Continua.SymmetricEncryptionKey" and "Continua.SymmetricEncryptionVector".

e.g.

```
<appSettings>

    <!-- DO NOT remove or change the keys BELOW -->
    <!-- They are set during the first installation, changing them will require you to re-
enter all passwords fields -->
    <!-- We recommend that you keep a backup of these values -->
    <add key="Continua.HashSalt" value="*****" />
    <add key="Continua.SymmetricEncryptionKey" value="*****" />
    <add key="Continua.SymmetricEncryptionVector" value="*****" />
    <!-- DO NOT remove these the keys ABOVE -->

    ....

</appSettings>
```

Once you have entered the required details, click **Run Import** to start the import process.

Run Import

While the import is running, progress messages are displayed.

If the import fails validation, a red **Import failed!** message and a **Retry Import** button is displayed. All changes are rolled back leaving the server database as it was before the import was started.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

Import Progress

Importing...

Starting import

Importing into existing project: 'Testing'

Importing configurations

Importing configuration 'MSTest Configuration'

Overwriting existing configuration 'MSTest Configuration' with imported configuration 'MSTest Configuration'

Importing stage 'Build' for configuration 'MSTest Configuration'

Cannot import action type 'MSBuild' for stage 'Build' of configuration 'MSTest Configuration' as the plugin is invalid: Could not set values on plug-in as not all values were in the correct format. Platform: Requested value 'X68' was not found. Skipping this action

Imported stage 'Build' for configuration 'MSTest Configuration'

Finished importing stages for configuration 'MSTest Configuration'

Imported configuration 'MSTest Configuration'

Importing configuration triggers

Finished importing configurations

Rolling back transaction

Import failed!

◀ Retry Import

If the import is successful, a green **Import complete** message and an **Import Another File** button is displayed.

Import and Export

Export **Import**

1 File & Project Details > 2 Configurations > 3 Repositories > 4 Variables > 5 Shared Resources > 6 Issue Connectors > 7 Options > 8 Run Import

Import Progress

Imported shared resources

Finished importing shared resources

Importing configurations

Importing configuration 'Mapping Test 2'

Adding new configuration 'Mapping Test 2'

Importing stage 'Build' for configuration 'Mapping Test 2'

Imported stage 'Build' for configuration 'Mapping Test 2'

Finished importing stages for configuration 'Mapping Test 2'

Importing 'Configuration' repositories for 'Mapping Test 2'

Importing Configuration repository 'Manual2' for 'Mapping Test 2'

Adding new Configuration repository 'Manual2'

Imported Configuration repository 'Manual2' for 'Mapping Test 2'

Finished importing Configuration repositories for 'Mapping Test 2'

Finished importing default repository branches for configuration 'Mapping Test 2'

Imported configuration 'Mapping Test 2'

Importing configuration triggers

Finished importing configurations

Committing changes...

Import committed!

Sending change messages to clear caches and initialise any new repositories...

Import complete

◀ Import Another File