

NCover Reporting Action



The NCover Reporting action in Continuum is a wrapper around the NCover.Reporting command line. If you're having trouble using the NCover Reporting action, please refer to the [Command Line Reference](#).

The NCover Reporting action provides numerous features for reporting on your coverage data.

NCover Reporting

NCover Reporting Action

NCover Reporting Settings Options Environment Comments

Required Field

NameNCover Reporting []

☒ Enabled

Coverage Files

SWorkspace\Output\ncoverreport.xml

A list of coverage files to use as a basis for your reports. Wildcards are allowed.

Project Name

Project Name

Specifies the name of the project for HTML output. [//project]

Output Path

The output path for all generated reports. This should be the path to a directory for a Full Coverage Report and a file for every other report type. [//outputpath]

Report Type

Full coverage report

Report Format

HTML

Using

NCover.Reporting.x86

☒ Validate

SaveCancelHelp

Name

A friendly name for this action (will be displayed in the [actions workflow area](#)).

Enabled

Determines if this action will be run within the relevant stage.

Coverage Files

Specify the coverage files to use as a basis for your reports. Each file must be on a separate line. Wildcards are allowed.

Project Name

Specify the name of the project for HTML output. [//project]

Output Path

The output path. [//outputpath]

Report Type

The type of the report. [//outputreport]

Report Format

The format of the report.

Using

The Using drop down is populated with any property collector whose namespace matches the pattern defined by the NCover Reporting action. The pattern for this action is `^NCover\.Reporting.*`

If you create a property collector for this action, make sure you select the **Path Finder Plugin** type and give it a name that will match the pattern above in blue. Example names listed [here](#), search the table's Plugin column for "NCover Reporting".

For more in-depth explanations on property collectors see [Property Collectors](#).

Alternatively, you can select the **Custom** option from the Using drop down list and specify a path in the resulting input field that will be displayed. Please read [Why it's a good idea to use a property collector](#) before using this option.

Settings

NCover Reporting Action

NCover Reporting

Settings

Options

Environment

Comments

Build ID

1234

Specify the build ID for the MergedCoverageDataFileName. Defaults to the build ID of the first coverage data file loaded. [//build-id]

Append Trend To File

\$Workspace\$\Output\myproject.trend

Creates or appends trend data to a file. [//append-trend]

Load Trend From File

\$Workspace\$\Output\myproject.trend

Loads saved trend data to use in a trend report. [//loadtrend]

Top Uncovered To Show

10

By default, only reports the top 10 most uncovered items in the "Top Uncovered" reports. Set this value to control how many are shown. [//topuncovered]

Sort Report Elements

None

By

Hide Report Elements

None

XSLT Override File

\$Workspace\$\Output\mycustomfile.xslt

Provide an override XSLT file for the reports. [//xslt]

Validate

Save

Cancel

Help

Build ID

Specify the build ID for the `MergedCoverageDataFileName`. Defaults to the build ID of the first coverage data file loaded. [//build-id]

Append Trend to File

Creates or appends trend data to a file. [//append-trend]

Load Trend from file

Loads saved trend data to use in a trend report. [//loadtrend]

Top Uncovered to Show

By default, only reports the top 10 most uncovered items in the "Top Uncovered" reports. Set this value to control how many are shown. [//topuncovered]

Sort Report Elements by

The method of sorting report elements. [//sort]

Hide Report Elements

The method of hiding report elements. [//hide]

XLST Override File

Provide an override XSLT file for the reports. [//xslt]

Options

NCover Reporting Action

NCover Reporting

Settings

Options

Environment

Comments

Required Field

☐ Ignore failed builds. [//ignorefailedbuilds]

Timeout (in seconds)

0

How long to wait for the action to finish running before timing out. Leaving this blank (or zero) will default to 86400 seconds (24 hours).

☐ Treat failure as warning

Tick to continue build on failure marking the action with a warning status.

☐ Ignore warnings

Validate

Save

Cancel

Help

Ignore failed builds

Tick to ignore failed builds. [//ignorefailedbuilds]

Timeout (in seconds)

How many seconds to wait for the action to finish before timing out. The default is 86400 seconds (24 hours).

Treat failure as warning

Tick to continue build on failure marking the action with a warning status.

Ignore warnings

If this is ticked, any warnings logged will not mark the action with a warning status.

Environment

NCover Reporting Action

NCover Reporting

Settings

Options

Environment

Comments

Environment Variables

Required Field

variable_name=variable_value

Specify one name & value pair per line.

☒ Log environment variables

☐ Generate system environment variables

Tick this to set new environment variables prefixed with 'ContinuaCl.' for system objects and variables.

Validate

Save

Cancel

Help

Environment Variables

Multiple environment variables can be defined - one per line. These are set before the command line is run.

Log environment variables

If this is ticked, environment variable values are written to the build log.

Generate system environment variables

Tick this checkbox to set up a list of new environment variables prefixed with 'ContinuaCl.' for all current system expression objects and variables.

Mask sensitive variable values in system environment variables

This checkbox is visible only if the 'Generate system environment variables' checkbox is ticked.

If this is ticked, the values of any variables marked as sensitive will be masked with **** when setting system environment variables. Clear this to expose the values.