

Create Release

This page describes the Octopus Deploy build event handler settings for creating a release.

Create

New Build Event Handler

Build Event Handler

Octopus Deploy

Create

Create Options

Variables

Conditions

Release Version

Required Field

Version number to use for the new release. Leave this blank to automatically create a number based on the highest package version.

Default Package Version

Default version number of all packages to use for this release.

Step Package Versions

Package version number to use for each deployment step. e.g. "Step 1"="1.2.0.1"

☒ Skip if release version already exists

Release Notes

Release Notes for the new release.

Save

Cancel

Help

Release Version

Enter the version number to use for the new release. You can use expressions in this field. Leave this blank to automatically create a new version number based on the highest release version for the project.

Default Package Version

This is the default version to use for each package. This will be overridden by any Step Package Versions supplied for each step of the deployment process. You can use expressions in this field.

Step Package Versions

Use this to define the package version to use for the various steps in your deployment process. Each package version is specified on separate lines as "Step Name" = "Version Number". You can use expressions in this field.

e.g.

"Deploy Step 1" = "1.0.0.1"

"Deploy Step 2" = "1.0.2.1"



Note that all the version numbers in the above fields must be semantically correct according the [Semantic Versioning specification](#).

Skip if release version already exists

Tick this to prevent the Build Event Handler failing if the release version already exists

Release Notes

This will be displayed as a comment on the release on your Octopus Deploy server

Create Options

New Build Event Handler

Build Event Handler

Octopus Deploy

Create

Create Options

Variables

Conditions

Build Event

On Before Stage Start

Required Field

Stage

(all stages)

☒ Wait for Results

☐ Fail Build on Error

☒ Log Build Messages

Save

Cancel

Help

Build Event

Select the event which triggers the Create Release action. You can choose one of the following [Build Events](#):

- On Before Stage Start
- On Sending Stage To Agent
- On Stage Completed
- On Build Pending Promotion
- On After Build Continued
- On Build Completed

Stage

For stage events, select the stage this applies to, or "(all stages)" to trigger the Create Release action for all stages

Build Status

For "On Stage Completed" and "On Build Completed", you can choose to trigger the Create Release action when the build is Successful or has Failed.

Wait for Results

Uncheck this option to run the Create Release action in a separate thread if you don't care about the result eg. whether the action fails or not.

Fail Build on Error

Tick this to fail the build if the Create Release action returns an error or failure. This is only available if Wait for Result is ticked.

Log Build Messages

When this is ticked, Continua will add messages to the build log during execution of the Create Release action. Build log messages will only be recorded if Wait for Result is ticked.