

Access Control

Access controls allow you to assign [roles and permissions](#) to [users and groups](#). They also allow you to explicitly allow or deny specific permissions to a user group. By default, Continua comes configured with many [access controls preconfigured](#) which should cover the majority of the permission sets needed.

It is recommended that most permissions should be assigned to users through roles as this means you only need to change the permissions once to affect multiple users. The explicit allow and deny permissions should only be used in specific scenarios as needed.

Note: The permissions set here are at the global level. Projects and Configurations each have their own set of permissions that will override anything specified here. Configuration level permissions override Project level permission and Project level permissions override Global level permissions. If you explicitly deny the ***Edit Configuration*** permission to a user here in the global section, it can be overridden by going to that Configuration or that Configurations' Project and explicitly allow the ***Edit Configuration*** permission.

The Access Control page can be found in the administration menu under ***Security***. The access control page lists all the access entries in Continua and allows you to create, edit and delete them.

Administration				
	Access Controls [Create]			
	User / Group	Permissions	Roles	Permissions
Projects	Registered Users	0 Permissions	User	[Edit] [Delete]
Security	Administrators	0 Permissions	Administrator	
Users	Ldap Administrators	0 Permissions	Administrator	
Groups	guest	0 Permissions	Guest	[Edit] [Delete]
Roles	Project Administrators	0 Permissions	Project Administrator	[Edit] [Delete]
Access Control	Project Editors	0 Permissions	Project Editors	[Edit] [Delete]
	CI Server Administrators	0 Permissions	CI Server Administrator	[Edit] [Delete]
Continua Server	Configuration Administrators	0 Permissions	Configuration Administrator	[Edit] [Delete]
Event Log	Configuration Editors	0 Permissions	Configuration Editor	[Edit] [Delete]
Licences	Agent Administrators	0 Permissions	Agent Administrator	[Edit] [Delete]
Variables	Build Contributors	0 Permissions	Build Contributor	[Edit] [Delete]
Properties	Build Viewers	0 Permissions	Build Viewer	[Edit] [Delete]
	Build Promoters	0 Permissions	Build Promoter	[Edit] [Delete]
Notifications	BuildMaster	0 Permissions	BuildMaster	[Edit] [Delete]
Publishers	BuildMaster2	0 Permissions	BuildMaster2	[Edit] [Delete]
Subscriptions	Standard	0 Permissions	Standard	[Edit] [Delete]

Creating & Editing Access Control Entries

NOTES

New Entry

User / Group

Roles

- Administrator
- Agent Administrator
- Build Contributor
- Build Promoter
- Build Viewer
- BuildMaster
- BuildMaster2
- CI Server Administrator

Show options to explicitly allow or deny permissions.

(Setting roles to an access control)

New Entry

User / Group:

Roles:

- Administrator
- Agent Administrator
- Build Contributor
- Build Promoter
- Build Viewer
- BuildMaster
- BuildMaster2
- CI Server Administrator

Permissions:

Permission	Allow	Deny
Administrator	<input type="checkbox"/>	
Administration		
Manage CI Server	<input type="checkbox"/>	<input type="checkbox"/>
Manage CI Agents	<input type="checkbox"/>	<input type="checkbox"/>
Projects	<input type="checkbox"/>	<input type="checkbox"/>
Project Administrator	<input type="checkbox"/>	<input type="checkbox"/>
View Project	<input type="checkbox"/>	<input type="checkbox"/>
Edit Project	<input type="checkbox"/>	<input type="checkbox"/>
Create Project	<input type="checkbox"/>	<input type="checkbox"/>
Delete Project	<input type="checkbox"/>	<input type="checkbox"/>
Configurations	<input type="checkbox"/>	<input type="checkbox"/>
Configuration Administrator	<input type="checkbox"/>	<input type="checkbox"/>
View Configuration	<input type="checkbox"/>	<input type="checkbox"/>
Edit Configuration	<input type="checkbox"/>	<input type="checkbox"/>
Create Configuration	<input type="checkbox"/>	<input type="checkbox"/>
Delete Configuration	<input type="checkbox"/>	<input type="checkbox"/>
Builds	<input type="checkbox"/>	<input type="checkbox"/>
Start Build	<input type="checkbox"/>	<input type="checkbox"/>
Stop Build	<input type="checkbox"/>	<input type="checkbox"/>

(setting explicit allow and deny permissions on an access control)

The "New Entry" dialog is split into two sections, Roles and Permissions. Click the "**Show options to explicitly allow or deny permissions**" link to show the permissions section. You can select Roles and Permissions at the same time or even select one or the other.

Each access control entry links roles and permissions to a specific user or group which can be selected in the dropdown menu at the top of the dialog. Multiple roles can be linked to a user or group in the same access control entry.

For more information on configuring explicit permissions, view the [fine grain control section](#).

Deleting an Access Control Entry

Deleting an access control entry **does not** delete it's associated roles or users and groups, it simply unlinks the roles from the users and groups. However, any explicit permissions that have been set on the access control will be deleted.